EQ's Index–A Decade of The Environment

(October, 1955, through September, 1965)

Titles

This index lists all signed and many unsigned articles that have been published in EQ through September, 1965. Company affiliation is generally that of the time the article was written. Also given are volume, number and date of issue, and page number.

How to Use EQ's 3-Part, 10-Year Editorial Index; Back Issues Are Available — Special Binder Offered

Environmental Quarterly takes pleasure in presenting in these pages a comprehensive index to the editorial content of its 10 years of publication —the period during which The Environment came into its own.

The index is in three parts: Title (including both signed and unsigned articles), Author and Subject. Each, of course, is alphabetical.

The TITLE index, with authors' names where applicable, is the most complete in terms of date, volume and number of the referenced issue, and page number. Here, too, are given authors' company affiliations at the time articles were written.

The AUTHOR index contains all published authors' names and the titles of their works. Date and page are also given; volume number and company affiliation can be ascertained quickly by checking back under the title of the article.

The SUBJECT index is the most extensive in terms of subject matter covered. Each reference in it gives date of the issue and page.

EQ's first issue appeared 10 years ago, in the late fall of 1955, as Vol. 1, No. 1. Numbering of several subsequent issues was slightly awry as the editors attempted to align the numbers with the time of the year. References to those early issues in these columns reflect numbers and dates as they were printed.

Through 1961, dates of publication were January, April, July and October. Since then, *EQ* has appeared in March, June, September and December.

Back issues of EQ are available beginning with Vol. 4, No. 4 (Oct., 1958) with the exception of Vol. 5, No. 2 (April, 1959). Regretfully, issues prior to the last quarter of 1958 are out of print. Back numbers are $1.25 per copy for U. S. readers, and $1.50 overseas. They may be ordered directly or through a recognized subscription agency. Remittances are requested with orders.

A sturdy, attractive binder that will hold three years' issues (12 copies) of EQ is available to readers at the special price of $2.89 each, postpaid. Details, together with a convenient order coupon, are advertised elsewhere in this issue. The binder creates a handy environmental reference library and enables you to keep your files of EQ neat and accessible in home or office. Because of the low price, remittances must accompany orders.

A

A-B-Cs of Fungus Testing, Dr. Frank E. Swatek, American Electronics, Vol. 7, #1, Jan., 1961, p. 12.

Airborne Components in an Intense Acoustic Environment, R. Kaminski, Bell Aircraft, Vol. 4, #1, Jan., 1958, p. 4.

Advanced Vibration Tests for X-15 Valves (Environments In Use), Vol. 6, #1, Jan., 1960, p. 23.

Advances in Combined Environmental Testing, Capt. James P. Cooper, Air Force Systems Command, and Sherwin Lewis, Space Technology Laboratories, Vol. 8, #1, March, 1962, p. 24.

AGREE-able Experience, Paul J. Goldin, RCA, Vol. 9, #2, June, 1963, p. 24.

Air Force Explores Sand & Dust Testing, Wayne B. Yarcho, Wright Air Development Center, Vol. 2, #4, Oct., 1956, p. 9.

Altitude Performance Testing of Fuel Pumping Sub-Systems, Alan E. Wilkis, McDonnell Aircraft, Vol. 5, #1, Jan., 1959, p. 10.

Army Seeks Answers to Human Stress Problems at Natick Environmental Lab, Dr. Austin Henschel, QM Research & Development Center, Vol. 1, #1, Fall (Oct.), 1955, p. 9.

Array-ed for 30,000 Pounds Force (Environments In Use), Vol. 10, #1, March, 1964, p. 38.

As High As the Sky and Down to Earth (Path of The Environment), Harold C. Jones, Institute of Environmental Sciences, Vol. 5, #4, Oct., 1959, p. 8.

Avoiding 'Violence' in Temperature Programming (Environments In Use), H. E. Harris, Harrel, Inc., Vol. 11, #3, Sept., 1965, p. 36.

B

Basics of Shock and Vibration Theory, Dale Pennington, Endevco Corp., Part I, Vol. 8, #3, Sept., 1962, p. 18; Part II, Vol. 8, #4, Dec., 1962, p. 22; Part III, Vol. 9, #1, March, 1963, p. 26.

Billets-Doux (Post Scripts), A. B. Billet, Vickers Incorporated, Vol. 11, #2, June, 1965, p. 8.

B.T. Accelerometer Response under Environmental Extremes, Aleck Goldberg, Frankford Arsenal, Vol. 4, #3, July, 1958, p. 4.

C

Carbon Arc Solar Radiation Simulators, J. P. Latil, Genarco, Inc., Vol. 8, #2, June 1962, p. 34.

Cemented Aluminum Blocks Replace Weighty Fixtures (Environments In Use), Vol. 9, #3, Sept., 1963, p. 41.

Cold Treatment: New Tool of Industry, Rolland S. Jamison, Harris Manufacturing Co., Vol. 6, #1, Jan., 1960, p. 28.

Commercial Environmental Labs—Testing All for Big and Small, Vol 6, #2, April, 1960, p. 30.

Comparative Storage Conditions Test, George W. Higgs, Jr., Marine Corps Supply and Research Facilities Branch, Vol. 5, #2, April, 1959, p. 14.

Converting Linear Motion to Torsional Vibration (Environments in Use), Clark Tauscher, Team Corp., Vol. 10, #4, Dec., 1964, p. 36.

Creating Super Get-Up, Super Go, Super Heat, Vol. 5, #2, April, 1959, p. 26.

Curriculum for Reliability Engineering, A, Harold C. Jones, University of Maryland, Vol. 9, #2, June, 1963, p. 34.

D

Deep Freezer for a B-70 Wing Section (Environments In Use), Vol. 6, #1, Jan., 1960, p. 23.

Defense of Vibration Instrumentation, A, George M. Watt, Vol. 4, #4, Oct. 1958, p. 30.

Dependability . . . for Decades (Path of The Environment), A. H. Abernathy, AFMDC, Holloman AFB, Vol. 6, #3, July, 1960, p. 29.

Design and Application of Freon 13-Freon 22 Cascade Systems, Charles F. Conrad, Thermotron Corp., Vol. 1, #2, Jan., 1956, p. 8.

Designing Against Shock and Vibration, T. M Billings, Bendix Aviation, Vol. 3, #2, April, 1957, p. 14.

Designing a Vibrating Table, Sandor D. Rubenz, RCA, Vol. 11, #2, June, 1965, p. 30.

Designing for Qualification, William Tonkowich, Associated Testing Laboratories, Vol. 7, #1, Jan., 1961, p. 16.

Designing Test Facilities for Liquid Oxygen, Norman Meyers, Fairchild Stratos, Vol. 3, #1, Jan., 1957, p. 10.

Design of Vacuum Equipment, David Ettelman, Tenney Engineering, Vol. 2, #2, April, 1956, p. 11.

Determination of Design Load, Thomas C. Pickering, Rapids-Standard Co., Vol. 8, #1, March, 1962, p. 18.

Double Duty Helps Amortize Investment in Chamber (Environments In Use), Vol. 6, #2, April, 1960, p. 41.

E

Earth Environment Chambers, George M. Wheeler and Martin S. Schletter, Tenney Engineering, Vol. 8, #4, Dec., 1962, p. 12.

Effects of Accelerometer Cross-Axis Sensitivity on Measurement Accuracy, R. Dale



Pennington, Endevco Corp., Vol. 10, #2, June, 1964, p. 34.

Electrical Effects of Long Cables Used for Remote Measurements, Edward T. Murad, Jr., Avco Corp., Vol. 9, #2, June, 1963, p. 38.

Electrohydraulic Shaker Systems, Richard E. Sipfle, MB Electronics: Part I—**A Versatile Test Tool,** Vol. 10, #3, Sept., 1964, p. 22; Part II—**Applications and Advantages,** Vol. 10, #4, Dec. 1964, p. 22.

Electronic Packages vs. Space Torture, Arnold Pollack, United Aerotest Laboratories, Vol. 7, #4, Oct., 1961, p. 20.

Electronic Test Facilities in Canada, A. P. Harris, Canadian Military Electronics Standards Agency, Vol. 1, #2, Jan., 1956, p. 10.

Electronic Vibrator Shock Tests (Environments In Use), P. J. Yujuico, Dayton T. Brown Laboratories, Vol. 10, #1, March, 1964, p. 41.

Embossed Panels, Rubin Raskin, Dean Products, Vol. 1, #1, Fall (Oct.), 1955, p. 13.

Engineering Development—By Calculation or Test?, Richard Ravenhall, George W. Bishop, and James E. Fee, Bishop Engineering Co., Vol. 3, #4, Oct., 1957, p. 11.

Engineering Educator Looks at The Environment, An, Robert L. Sutherland, University of Wyoming, Vol. 7, #1, Jan., 1961, p. 28.

Environmental Criteria Slide Rule—New Air Force Tool, A. K. Hankey, Wright Air Development Center, Vol. 3, #4, Oct., 1957, p. 9.

Environmental Endurance Testing—Key to Reliability?, A. S. Richardson, Jr., M.I.T., Vol. 4, #2, April, 1958, p. 8.

Environmental Imagineering, S. P. Sanders, Bendix, Vol. 7, #2, April, 1961, p. 28.

Environmental Industry Comes of Age, Dr. George D. Wilkinson, Environmental Equipment Institute, Vol. 5, #1, Jan., 1959, p. 22.

Errors That Afflict Vacuum Gauges, Jonathan R. Roehrig, National Research Corp., Vol. 11, #2, June, 1965, p. 20.

Exclusive Facilities for the Long Term (Path of The Environment), Adm. John H. Sides, Commander-in-Chief, U. S. Pacific Fleet, Vol. 6, #4, Oct. 1960, p. 12.

F

First Decade . . . and the Next, The (Path of The Environment), Part I: John C. New, NASA/Goddard, Vol. 11, # 1, March 1965, p. 44.

—**Cost Problems Must Be Beaten for Progress,** Jerome Bakalish, Lockheed, p. 46.

—**Expectation and Reality—Great Strides, and a Great Deal More Still to Be Done,** Monroe Seligman, Tenney Engineering, p. 48.

—**Needed: Better Definition of Required Conditions,** Walter R. Nial, Aero Vac Corp., p. 49.

—**The Question Is, Which Environment?** Norman A. Ponge and Clarence F. Sanders, Institute of Environmental Sciences, p. 46.

—**Vibration: Decade of Sophistication,** Robert C. Lewis, LTV Ling Altec, p. 48.

—**What Is The Environment's Role in Everyday Living?,** Donald J. Fox, Alnor Instrument Co., p. 46.

First Decade . . . and the Next, The (Path of The Environment), Part II, Vol. 11, #2, June, 1965:

—**Growth Problem: How to Handle Sheer Size of Newest Speciments,** Harry G. Graybill, Wyle Laboratories, p. 25.

—**The Long View: Slight Requirements Became More Stringent, but the Reason's the Same,** L. E. Lamkin, Sandia Corp., p. 28.

—**Today's Fantasies May Sound Mundane in Tomorrow's Environment, Ellsworth F. Seaman,** Consultant, p. 24.

First Decade . . . and the Next, The (Path of The Environment), Part III, Vol. 11, #3, Sept., 1965:

—**Decade of Change for the Environmental Engineer, A,** Dr. Irwin Vigness, Naval Research Laboratory, p. 24.

—**Progress in Pressure—High and Low,** Jerry P. Rosenblatt, The Bethlehem Corp., p. 26.

For an Extra-Large Specimen: Shakers in Tandem (Environments In Use), T. S. Modzelewski, Boeing, Vol. 7, #4, Oct., 1961, p. 30.

For a Whole Missile: Every Shake in the Book (Environments In Use), Vol. 7, #4, Oct., 1961, p. 31.

Future Unlimited (Path of The Environment), Charles C. E. Harris, Harris Manufacturing Co., Vol. 5, #4, Oct., 1959, p. 10.

H

Halting Resonance Tests at Failure, Donald McClusky, Unholz-Dickie Corp., Vol. 6, #3, July, 1960, p. 12.

Heat Transfer with Electrodynamic Vibration Exciters, Arthur Schwartz, Atlas Engineering, and Wayne Tustin, MB Electronics, Vol. 4, #3, July, 1958, p. 20.

High, Wide . . . and Spatial (Path of The Environment), Vol. 7, #3, July, 1961, p. 20.

Honeywell 'Bugs' an Environmental Chamber (Environments In Use), Jack Wellman and Gary D. Barry, Honeywell, Vol. 9, #3, Sept., 1963, p. 39.

How Environmental Test Conditions Influence Reliability, Charles Morrow, Ramo Wooldridge, Vol. 3, #3, July, 1957, p. 8.

How Much for Cold?, Dale J. Missimer, Missimers, Inc., Vol. 6, #1, Jan., 1960, p. 16.

Human Occupancy in Environmental Chamber, Stuart Giles, Bemco, Vol. 3, #3, July, 1957, p. 18.

I

In Production: Reliability Testing with CO_2 (Environments In Use), Vol. 8, #3, Sept., 1962, p. 35.

Insuring the Success of Avco's Minuteman Mark 5 (Environments In Use), Vol. 7, #2, April, 1961, p. 20.

Intermediate Heat Transfer Fluid Chamber (Environments In Use), Vol. 6, #1, Jan., 1960, p. 22.

Introduction to Reliability, Daniel N. Schochet and Charles C. Cullari, Associated Testing Laboratories, Part I, Vol. 10, #4, Dec., 1964, p. 16; Part II—**Prototype-Production-Performance,** Vol. 11, #1, March, 1965, p. 38; Part III—**Parts Reliability: Some Statistical Considerations,** Vol. 11, #2, June, 1965, p. 36.

Insuring Reaction Vibrators to Extreme Temps (Environments In Use), Vol. 6, #2, April, 1960, p. 40.

Invocation, Newton Nelson, Vol. 8, #2, June, 1962, p. 12.

Isolating Stability Pads (Environments in Use), Sheldon E. Young and Eldon A. Johnson, Barry Controls, Vol. 10, #3, Sept., 1964, p. 36.

K

Key Word: Reliability (Post Scripts), Donald J. Fox, Fenwal Inc., Vol. 8, #3, Sept., 1962, p. 6.

L

Laboratory Simulation of Rocket Engine Noise, Merwin T. Anderson and Leonard L. Robinson, Avco, Vol. 4, #4, Oct. 1958, p. 6.

Testing in The Environment of Time, E. F. Peacox, Stromberg-Carlson, Vol. 3, #3, July, 1957, p. 4.

Look into Space Chamber Cooling Shrouds, A., Stuart M. Sachs, consulting engineer, Vol. 9, #3, Sept., 1963, p. 26.

Lovely to Look At, Channing Gilson, designer, Vol. 7, #2, April, 1961, p. 36.

M

Medicine: New Frontier for Environmental Techniques, T. J. Frederick, Cincinnati Sub-Zero Products, Vol. 8, #3, Sept., 1962, p. 32.

Methods of Simulating the Underwater Environment, Hilbert Schenck, Jr., Pratt & Whitney, Vol. 2, #2, April, 1956, p. 7.

Minimization of Test Programs by Proper Classification of Environmental Factors, S. Roy Wood, Norman R. Garner and D. E. Hartvigsen, Aerojet-General, Vol. 7, #2, April, 1961, p. 14.

Mixed Sine-Random Testing, Richard Boynton, MB Electronics, Vol. 8, #4, Dec., 1962, p. 26.

Moisture and Altitude Don't Mix, Paul H. Brandt, Murphy & Miller, Vol. 6, #2, April, 1960, p. 26.

Multi-Filter Equalization Speeds Testing (Environments In Use), H. M. Marquardt and D. L. Daulton, Lockheed, Vol. 9, #3, Sept., 1963, p. 38.

N

Need a Life Test Chamber? (Environments In Use), Phillip Lazzara, Blue M Electric Co, Vol. 10, #4, Dec., 1964, p. 34.

New Standard Atmosphere Adopted—to 1,000,000 Feet, William A. Scholl, Vol. 3, #1, Jan., 1957, p. 8.

Notes on Simulated Service Testing, Ellsworth F. Seaman, Bureau of Ships, Vol. 4, #2, April, 1958, p. 20.

Nuclear Jungle, The, Alan Surosky, Nuclear Development Corp., Vol. 2, #3, July, 1956, p. 7.

O

Oil-Damped Accelerometers at Low Temperatures, Bruce M. Wigle and Thomas L. Hartman, Martin Co., Vol. 10, #4, Dec., 1964, p. 20.

Onward, Upward, Around (Path of The Environment), Vol. 7, #4, Oct., 1961, p. 12.

Organizational Aspects of Environmental Problem, Ray M. Daniel, Northrop, Vol. 4, #1, Jan., 1958, p. 9.

Other Environment, The (Post Scripts), LeRoy Callins, Department of Commerce, Vol. 11, #2, June, 1965, p. 9.

P

Piezoelectric Transducer Calibration Simulation Method Using Series Voltage Insertion, James E. Rhodes, Endevco Corp., Vol. 8, #1, March, 1962, p. 30.

Plus and Minus of CO_2, Vol. 5, #4, Oct., 1959, p. 16.

PORP—Parts Oriented Reliability: Program and Problems, C. S. Bartholomew, Boeing, Vol. 9, #3, Sept., 1963, p. 22.

Power Spectral Density Nomogram, Roy W. Mustain, Norair, Vol. 5, #3, July, 1959, p. 24.

Predicting Flight Vehicle Noise, William G. Dunn, Tenney Engineering, Vol. 7, #3, July, 1961, p. 34.

Prediction of Missile System Survival in Vibration Environment, George F. Christopher, Edwin D. Karmiol and John S. Youtcheff, General Electric, Vol. 5, #1, Jan., 1959, p. 6.

Prelude to a Successful Journey of Ampex MR-100 Recorder (Environments In Use), Vol. 6, #3, July, 1960, p. 36.

Primer on Piezoelectric Accelerometers, Warren D. Hancock, Endevco Corp., Vol. 5, #4, Oct., 1959, p. 38.

Problems of the Coming Decade (Path of The Environment), Vol. 9, #1, March, 1963:

—Suggestions for Breaking Communications Barriers in Environmental Design, Dr. Paul A. Siple, Army Research Office, p. 34.

—View from the Sea—Speed Will Be a Dominant Factor in All of the Environments, Dr. Robert O. Burns, Office of the Chief of Naval Operations, p. 36.

Production Environmental Testing, Robert Lusser, Redstone Arsenal, Vol. 4, #2, April, 1958, p. 14.

Progress in Nondestructive Testing, Raymond A. Pulk, Detroit Arsenal, Vol. 7, #1, Jan., 1961, p. 45.

Q

Quiet, Please! Let There Be Noise (Environments In Use), Vol. 10, #1, March, 1964, p. 40.

R

Radiation: The Newest Environment, Arnold Pollack, United Aerotest Laboratories, Vol. 9, #3, Sept., 1963, p. 28.

Random and Complex-Wave Vibration Test Systems, Uno Hedin, Ling Electronics, Vol. 4, #1, Jan., 1958, p. 11.

Random Signal Theory Definitions, Staff of MB Electronics, Part I, Vol. 7, #3, July, 1961, p. 16; Part II—**Random Noise Generation and Measurement,** Vol. 7, #4, Oct., 1961, p. 26.

Reaching for the Sun, Alfred E. Mann and Frederic N. Benning, Spectrolab, Part 1, Vol. 9, #3, Sept., 1963, p. 16; Part II—**Solar Simulation Requirements,** Vol. 9, #4, Dec., 1963, p. 16; Part III—**Earth Albedo and Shine,** Vol. 10, #1, March, 1964, p. 32; Part IV—**Optical Systems for Solar Simulation,** Vol. 10, #2, June, 1964, p. 38; Part V—**Some Solar Simulation Systems . . . How They Perform,** Vol. 10, #3, Sept., 1964, p. 26.

Refrigerated Sorption Pumping, Frederick T. Turner, Varian Associates, Vol. 10, #2, June, 1964, p. 30.

MARK V
FILTER SPECTRORADIOMETER
by EPPLEY

For the Measurement of Simulated Solar Radiation in Space Chambers



The Mark V Radiometer is the most sophisticated of our series for the measurement of simulated solar radiation in operational space chambers. It measures the absolute irradiance in the test volume within a field of view ranging from 5° to 15°. Spectral band irradiance in 24 selected spectral regions can be determined. It has a thermopile with a time constant of less than 1 second, both for air and vacuum operation, which is water stabilized and which has an automatic shuttering device. Remote control unit may be located up to 100 feet distant.

The Mark V Radiometers are absolutely calibrated against the internationally accepted IPS radiation reference and are compensated against changes in sensitivity. Sensitivity is approximately 15 millivolts per earth solar constant. Readout instrumentation includes a microvolt amplifier and a variable range potentiometric recorder.

Users of this series include General Electric Company, Jet Propulsion Laboratory, NASA installations and CNES in France.

Bulletin on request. Address Department EQ12

THE EPPLEY LABORATORY, INC.
SHEFFIELD AVENUE, NEWPORT, R. I. U. S. A.
SCIENTIFIC INSTRUMENTS

726-5

Interested? Write 33a on EQ's Service Card.

Reliability in Small Companies, Melbourne D. Johnson, Santa Barbara Research Center, Vol. 9, #4, Dec., 1963, p. 32.

Reliability Testing for Managerial Decisions, Spencer A. Tucker, Martin & Tucker, Vol. 6, #4, Oct., 1960, p. 24.

Reliability vs. Reality (Path of The Environment), Maj. Gen. Frank H. Britton, Second Army, Vol. 10, #2, June, 1964, p. 26.

Remaining 'Aloft' During Severe Icing and Rain (Environments In Use), Vol. 6, #4, Oct., 1960, p. 33.

Replacing an Environmental Chamber, T. F. Foti, Martin Co., Vol. 3, #2, April, 1957, p. 4.

Resonant Fatigue Testing, Donald J. Fritch and Robert A. Bareiss, Lessells and Associates, Vol. 8, #4, Dec., 1962, p. 32.

RF Interference in Extreme Environments, R. E. Shewmaker, Radioplane, Vol. 6, #1, Jan., 1960, p. 14.

Rigid Dummy Loads for Shock and Vibration Tests, Bruno J. Forsher, Vol. 4, #4, Oct., 1958, p. 10.

Role of an Environmental Department, John Cammarata, American Bosch Arma, Vol. 2, #3, July, 1956, p. 15.

Rough Road and Railroad Humping Specification Testing, Edward J. Kirchman, Martin Company, Vol. 4, #3, July, 1958, p. 10.

S

Sand and Dust Testing, Bernard Friedman, Tenney Engineering, Vol. 3, #2, April, 1957, p. 9.

'Search for Critical Reliability,' C. C. Campbell, Convair-Astronautics, Vol. 6, #4, Oct., 1960, p. 16.

Seismic Shock & Vibration Pickup, John H. Armstrong and George Stathopoulos, Naval Ordnance Lab, Part I, Vol. 5, #3, July, 1959, p. 6; Part II—**Practical vs. Ideal,** Vol. 5, #4, Oct., 1959, p. 34.

Sensitive Hearing Aid Has a Salty Time (Environments In Use), Vol. 6, #2, April, 1960, p. 40.

Shock Testing Instrumentation, Maxwell Lazarus, Barry Controls, Part 1, Vol. 6, #2, April, 1960, p. 14; Part II, Vol. 6, #3, July, 1960, p. 32.

Shock Testing Procedures and Equipment, Charles A. Mills, Canadian Westinghuse, Vol. 3, #4, Oct., 1957, p. 4.

Simple Method Determines Cross Sensitivity in Linear Accelerometers, Earle G. Foote, Boeing, Vol. 1, #1, Fall (Oct.), 1955, p. 12.

Simulating Radiation in Orbit (Environments In Use), Vol. 6, #4, Oct., 1960, p. 32.

Simulation of Nuclear Weapons Effects (Environments In Use), Capt. Carl G. Weiss and Dr. H. H. Guenther, Nuclear Effects Research Lab, Vol. 9, #3, Sept., 1963, p. 53.

Sing a Song of Q!, Peter L. Shugart, Endevco Corp., Vol. 7, #1, Jan., 1961, p 6.

Solar Simulation—A Postcript, P. D. Ries, Union Carbide Corp., and Jean Paul Latil, Genarco, Inc., Vol. 10, #4, Dec., 1964, p. 26.

Some Basic Statistical Concepts on Low and Audio Frequency Noise, Staff of Elgenco Inc., Vol. 10, #2, June, 1964, p. 36.

Some NASA Ideas for The Environment, Vol. 10, #3, Sept., 1964:

—Anisotropic Chamber Limits Molecular Bounce Back, Goddard Space Flight Center, p. 42.

—Cables, Inclined Walkway Help Simulate Reduced Gravity Effect, Langley Research Center, p. 40.

—Catalytic Oxidation Assists in Cryopumping of Hydrogen, Lewis Research Center, p. 40.

—Precision Gauge Measures Ultrahigh Vacuum Levels, Goddard Space Flight Center, p. 42.

Some Recent Major Additions to The Environment, Vol. 11, # 3, Sept., 1965, p. 18.

Space Age Production Depends on Low Temperatures (Environments In Use), Vol. 7, #1, Jan., 1961, p. 37.

Space Vehicle Environment (and Some NASA Facilities for Their Simulation), Dr. John E. Duberg, Langley Research Center, Vol. 9, #2, June, 1963, p. 16.

Steam Jet Vacuum Pumping for Large Altitude Chambers, Ronald M. Bykowski, Vol. 3, #1, Jan., 1957, p. 4.

Sustaining Life in the Strange Environment, Edward Pearman, Republic Aviation, Vol. 8, #2, June, 1962, p. 24.



T

Tailor-Made Test Bench for Environmental Lab, T. F. Foti, Martin Co., Vol. 5, #1, Jan., 1959, p. 16.

Taking the Guesswork Out of Environmental Testing, Henry K. Growald, Convair, Vol. 6, #3, July, 1960, p. 16.

Taped Shake Test Program Assures Repeatability (Environments In Use), Vol. 7, #1, Jan., 1961, p. 35.

Task Equipment Analysis and Environmental Testing, Max A. Pape, Stanford Research Institute, Vol. 5, #3, July, 1959, p. 16.

10^{-15} Torr Attained by 'Piggyback' (Environments In Use), Vol. 8, #3, Sept., 1962, p. 34.

Testing the 'Talking' Atlas, Richard S. Campbell, Convair-Astronautics, Vol. 5, #2, April, 1959, p. 6.

Thor-Delta Vibration Test, S. S. Abrams and R. F. Teuber, Douglas Aircraft, Vol. 9, #3, Sept., 1963, p. 36.

Threshold of Knowledge, The (Path of The Environment), E. C. Burkhart, Genisco, Inc., Vol. 5, #4, Oct., 1959, p. 12.

'To Live and Thrive', Vol. 8, #2, June, 1962:

—Challenges of Today's Environment, Donald W. Douglas, Jr., Douglas Aircraft, p. 18.

—The Pathway to Space, James E. Webb, NASA, p. 18.

Transit Environment, The, William J. Simpson, GE, Vol. 9, #4, Dec., 1963, p. 28.

Trouble Shooting a Cascade System, Fred Masucci, Tenney Engineering, Vol. 11, #1, March, 1965, p. 34.

Two Configurations for the Whole Satellite (Environments In Use), Vol. 8, #2, June, 1962, p. 32.

Two International Meetings Review The Environment (Path of The Environment), Vol. 10, #3, Sept., 1964:

—Aix-les-Bains, May 19-30: Test Methods, Terminology, Ellsworth F. Seaman, Consultant, p. 20.

—Aix-les-Bains, June 1-5: Vibration, Shock Standards, p. 21.

U

Ultra-High Vacuum Helps Refine Silicon (Environments In Use), Vol. 7, #1, Jan., 1961, p. 36.

Universal Vibration Holding Device, E. Robert Britton, Electronics Communications, Vol. 5, #2, April, 1959, p. 8.

V

Vacuum Gauge Calibration, Jonathan R. Roehrig, National Research Corp., Vol. 11, #3, Sept., 1965, p. 30.

Vacuum Pumps—Whys and Wherefors, Rob Roy Cyr, Kinney Vacuum, Vol. 10, #1, March, 1964, p. 28.

Vapor Cooling in New Vibration Amplifiers, Emory G. Johnson, Ling Electronics, Vol. 8, #3, Sept., 1962, p. 36.

V-Groove for an Oil Film Vibration Table, Daniel Stern, GE, Vol. 7, #4, Oct., 1961, p. 16.

Vibration Education a Necessity as Test Function Expands, Wayne Tustin, MB Electronics, Vol. 7, #3, July, 1961, p. 17.

Vibration Testing for the Neophyte, Robert L. Stallard, GE, Vol. 2, #4, Oct., 1956. p. 4.

Vibration Testing—Yesterday, Today and Tomorrow (Path of The Environment), Cameron G. Pierce, Ling-Atlec, Vol. 6, #2, April, 1960, p. 18.

W

We Must Don Bifocal Glasses—Today (Path of The Environment), Maj. Gen. Robert G. Ruegg, Aeronautical Systems Division, Vol. 10, #1, March, 1964, p. 34.

Workmanship Vibration, Art Shafran, Philco, Vol. 7, #1, Jan., 1961, p. 32.

Y

Yardstick for Environments (Path of The Environment), Bernard Friedman, International Radiant Corp., Vol. 6, #1, Jan., 1960, p. 12.

1955-1965

anniversary

STILL FIRST IN THE ENVIRONMENT



How to put a man "on the moon" in 18 minutes

Soon, a test engineer wearing an Apollo space suit and life support back pack will enter the first fully man-rated space chamber. 18 minutes later he'll be "on the moon" . . . working in vacuum simulating pressures and temperatures of extreme outer space. He'll be protected by an elaborate safety system; redundant, safety-critical components; visual and electronic monitoring; emergency breathing and power subsystems; and a rapid emergency repressurization system to put him back on "earth" in seconds.

Stokes Advanced Systems Department of Pennsalt Chemicals Corporation was selected by Hamilton Standard as prime contractor to design, fabricate, install and integrate this precedent-setting space simulator. Following a philosophy of offering excellence in applicable technologies, Stokes teamed with CryoVac and Pittsburgh-Des Moines Steel for cryogenic and chamber systems on this facility.

Stokes has earned an outstanding reputation as prime contractor on some of the most sophisticated space testing facilities now in operation. Working closely with CryoVac, Stokes pioneered the application of cryogenics and 20°K cryopumping to high-vacuum gas-handling systems. For information, call **Stokes Advanced Systems Department, Pennsalt Chemicals Corporation, 5500 Tabor Road, Philadelphia, Pa. 19120.**

PENNSALT
CHEMICALS ● EQUIPMENT

Authors

This index lists all authors who have published in EQ to 9/65, with the titles of their articles, month and year of appearance (e.g., 3/65 equals March, 1965), and page number. In each case, co-authors are also given, and they appear, too, in a separate listing.

A

Abernathy, A. H,. "Dependability . . . for Decades," 7/60, p. 29

Abrams, S. S., and Teuber, R. F., "Thor-Delta Vibration Test," 9/63, p. 36.

Anderson, Merwin T., and Robinson, Leonard L., Laboratory Simulation of Rocket Engine Noise," 10/58, p. 6.

Armstrong John H., and Stathopoulos, George, "Seismic Shock & Vibration Pickup" (Part I), 7/59, p. 6.

—"Practical vs. Ideal" (Part II), 10/59, p. 34.

B

Bakalish, Jerome, "The First Decade . . . and the Next: Cost Problems Must Be Beaten for Progress," 3/65, p. 46.

Bareiss, Robert A., and Fritch. Donald J., "Resonant Fatigue Testing," 12/62, p. 32.

Barry, Gary D., and Wellman, Jack, "Honeywell 'Bugs' an Environmental Chamber," 9/63, p. 39.

Bartholomew, C. S., "PORP—Parts Oriented Reliability: Program and Problems," 9/63, p. 22.

Benning, Frederic N., and Mann, Alfred E., "Reaching for the Sun" (Part I), 9/63, p. 16.

—"Solar Simulation Requirements" (Part II), 12/63, p. 16.

—"Earth Albedo and Shine" (Part III), 3/64. p. 32.

—"Optical Systems for Solar Simulation" Part IV), 6/64, p. 38.

—"Some Solar Simulation Systems . . . How They Perform" (Part V), 9/64, p. 26.

Billet, A. B., "Billets-Doux," 6/65, p. 8.

Billings, T. M., "Designing Against Shock & Vibration," 4/57, p. 14.

Bishop, George W.; Fee, James E., and Ravenhall, Richard, "Engineering Development —By Calculation or Test?" 10/57, p. 11.

Boynton, Richard, "Mixed Sine-Random Testing," 12/62, p. 26.

Brandt, Paul H., "Moisture and Altitude Don't Mix." 4160, p. 26.

Britton, E. Robert, "Universal Vibration Holding Device," 4/59, p. 8.

Britton, Maj. Gen. Frank H., "Reliability vs. Reality," 6/64, p. 26.

Burkhart, E. C., "The Threshold of Knowledge," 10/59, p. 12.

Burns, Dr. Robert O., "Problems of the Coming Decade: View from the Sea—Speed Will Be a Dominant Factor in All of the Environments," 3/63, p. 36.

Bykowski, Ronald M., "Steam Jet Vacuum Pumping for Large Altitude Chambers," 1/57, p. 4.

C

Cammarata, John, "Role of an Environmental Department," 7/56, p. 15.

Campbell, C. C., "Search for Critical Reliability," 10/60, p. 16.

Campbell, Richard S., "Testing the 'Talking' Atlas," 4/59, p. 6.

Christopher, George F.; Karmiol Edwin D. and Youtcheff, John S., "Prediction of Missile System Survival in Vibration Environment," 1/59, p. 6.

Collins, LeRoy, "The Other Environment," 6/65, p. 9.

Conrad, Charles F., "Design and Application of Freon 13-Freon 22 Cascade Systems," 1/56, p. 8.



Cooper, Capt. James P., and Lewis Sherwin, "Advances in Combined Environmental Testing," 3/62, p. 24.

Cullari, Charles C., and Schochet, Daniel N., "Introduction to Reliability" (Part I), 12/64, p. 16.

—"Prototype - Production - Performance" (Part II), 3/65, p. 38.

—"Parts Reliability: Some Statistical Considerations" (Part III), 6/65, p. 36.

Cyr, Rob Roy, "Vacuum Pumps—Whys and Wherefores," 3/64, p. 28.

D

Daniel, Ray M., "Organizational Aspects of Environmental Problems," 1/58, p. 9.

Daulton, D. L., and Marquardt, H. M., "Multi-Filter Equalization Speeds Testing," 9/63, p. 38.

Douglas, Donald W., Jr., "To Live and



Thrive: Challenges of Today's Environment," 6/62, p. 18.

Duberg, Dr. John E., "Space Vehicle Environment (and Some NASA Facilities for Their Simulation)," 6/63, p. 16.

Dunn, William G., "Predicting Flight Vehicle Noise," 7/61, p. 34.

E

Elgenco, Inc., staff, "Some Basic Statistical Concepts on Low and Audio Frequency Noise," 6/64, p. 36.

Ettelman, David, "Design of Vacuum Equipment," 4/56, p. 11.

F

Fee, James E.; Bishop, George W., and Ravenhall, Richard, "Engineering Development —By Calculation or Test?", 10/57, p. 11.

Foote, Earle G., "Simple Method Determines Cross Sensitivity in Linear Accelerometers," 10/55, p. 12.

Forsher, Bruno J., "Rigid Dummy Loads for Shock and Vibration Tests," 10/58, p. 10.

Foti, T. F., "Replacing on Environmental Chamber," 4/57, p. 4.

—"Tailor-Made Test Bench for Environmental Lab," 1/59, p. 16.

Fox, Donald J., "The First Decade . . . and the Next: What Is the Environment's Role in Everyday Living?" 3/65, p 46.

—"Key Word: Reliability," 9/62, p. 6.

Frederick, T. J., "Medicine: New Frontier for Environmental Techniques," 9/62, p. 32.

Friedman, Bernard, "Sand & Dust Testing," 4/57, p. 9.

—"Yardstick for Environments," 1/60, p. 12.

Fritch, Donald J., and Bareiss, Robert A., "Resonant Fatigue Testing," 12/62, p. 32.

G

Garner, Norman R.; Hartvigsen, D. E., and Woods, S. Roy, "Minimization of Test Programs by Proper Classification of Environmental Factors," 4/61, p. 14.

Giles, Stuart, "Human Occupancy in Environmental Chamber," 7/57, p. 18.

Gilson, Channing, "Lovely to Look At," 4/61, p. 36.

Goldberg, Aleck, "B. T. Accelerometer Response Under Environmental Extremes," 7/58, p. 4.

Goldin, Paul J., "AGREE-able Experience," 6/63, p. 24.

Graybill, Harry G., "The First Decade . . . and the Next: Growth Problem—How to Handle Sheer Size of Newest Speciments," 6/65, p. 25.

Growald, Henry K., "Taking the Guesswork

Out of Environmental Testing," 7/60, p. 16.
Guenther, Dr. A. H., and Weiss, Capt. Carl G, "Simulation of Nuclear Weapons Effects," 9/63, p. 53.

H

Hancock, Warren D., "Primer on Piezoelectric Accelerometers," 10/59, p. 38.
Hankey, R. K., "Environmental Criteria Slide Rule—New Air Force Tool," 10/58, p. 9.
Harris, A. P., "Electronic Test Facilities in Canada," 1/56, p. 10.
Harris, Charles C. E., "Future Unlimited," 10/59, p 10.
Harris, H. E., "Avoiding 'Violence' in Temperature Programming," 9/65, p. 36.
Hartman, Thomas L., and Wigle, Bruce M., "Oil-Damped Accelerometers at Low Temperatures," 12/64, p. 20.
Hartvigsen, D. E.; Wood, S. Roy, and Garner, Norman R., "Minimization of Test Programs by Proper Classification of Environmental Factors," 4/61, p. 14.
Hedin, Uno, "Random and Complex-Wave Vibration Test Systems," 1/58, p. 11.
Henschel, Dr. Austin, "Army Seeks Answers to Human Stress Problems at Natick Environmental Lab," 10/59. p. 9.
Higgs, George W., Jr., "Comparative Storage Conditions Test," 4/59, p. 14.

J

Jamison, Rolland S., "Cold Treatment: New Tool of Industry," 1/60 p. 28.
Johnston, Eldon A., and Young, Sheldon E. "Isolating Stability Pads," 9/64, p. 36.
Johnson, Emory G., "Vapor Cooling in New Vibration Amplifiers," 9/62, p. 36.
Johnson, Melbourne D., "Reliability in Small Companies," 12/63, p. 32.
Jones, Harold C., "As High as the Sky and Down to Earth," 10/59, p. 8.
—"A Curriculum for Reliability Engineering," 6/63, p. 34.

K

Kaminski, R., "Airborne Components in an Intense Acoustic Environment," 1/58, p. 4.
Karmiol, Edwin D.; Youtcheff, John S., and Christopher, George F., "Prediction of Missile System Survival in Vibration Environment," 1/59, p. 6.
Kirchman, Edward J., "Rough Road and Railroad Humping Specification Testing," 7/58, p. 10.

L

Lamkin, L. E., "The First Decade . . . and the Next: The Long View—Slight Requirements Became More Stringent," 6/65, p. 28.
—and Ries, P.D., "Solar Simulation—A Postscript," 12/64, p. 26.
Latil, Jean Paul, "Carbon Arc Solar Radiation Simulators," 6/62, p. 34.
Lazarus, Maxwell, "Shock Testing Instrumentation," Part 1, 4/60, p. 14; Part II, 7/60, p. 32.
Lazzara, Phillip, "Need a Life Test Chamber?" 12/64, p. 34.
Lewis, Robert C., "The First Decade . . . and the Next: "Vibration — Decade of Sophistication," 3/65, p. 48.
Lewis, Sherwin, and Cooper, Capt. James P., "Advances in Combined Environmental Testing," 3/62. p. 24.
Lusser, Robert, "Production Environmental Testing," 4/58, p. 14.

M

Mann, Alfred E., and Benning, Frederic N., Spectrolab, "Reaching for the Sun," (Part I), 9/63, p. 16.
—"Solar Simulation Requirements" (Part II), 12/63, p. 16.
—Earth Albedo and Shine (Part III), 3/64, p. 32.
—Optical Systems for Solar Simulation" (Part IV), Vol. 10, 6/64, p. 38.
—"Some Solar Simulation Systems . . . How They Perform" (Part V), 9/64, p. 26.
Mann, Dr. Irving S., "Letter to Editor," 3/65, p. 11.
Marquardt, H. M., and Daulton, D. L., "Multi-Filter Equalization Speeds Testing," 9/63, p. 38.
Masucci, Fred, "Trouble Shooting a Cascade System," 3/65, p. 34.
MB Electronics Staff, "Random Signal Theory Definitions" (Part I), 7/61, p. 16.
—"Random Noise Generation and Measurement" (Part II), 10/61, p. 26.
McCluskey, Donald, "Halting Resonance Tests at Failure," 7/60, p. 12.
Meyers, Norman, "Designing Test Facilities for Liquid Oxygen," 1/57, p. 10.
Mills, Charles A., "Shock Testing Procedures and Equipment," 10/57, p. 4.
Missimer, Dale J., "How Much for Cold?" 1/60, p. 16.
Modzelewski, T. S., "For an Extra-Large Specimen: Shakers in Tandem," 10/61, p. 30.
Morrow, Charles, "How Environmental Test Conditions Influence Reliability," 7/57, p. 8.
Murad, Edward T., Jr., "Electrical Effects of Long Cables Used for Remote Measurements," 6/63, p. 38.
Mustain, Roy W., "Power Spectral Density Nomogram," 7/59, p. 24.

N

Nelson, Newton, "Invocation," 6/62, p. 12.
New, John C., "The First Decade . . . and the Next: Needed—Better Definition of
Nial, Walter R., "The First Decade . . . and the Next: Needed—Better Definition of Required Conditions," 3/65, p. 49.

P

Pape, Max A., "Task Equipment Analysis and Environmental Testing," 7/59, p. 16.
Peacox, E. F., "Testing in the Environment of Time," 7/57, p. 4.
Pearman, Edward, "Sustaining Life in the Strange Environment," 6/62, p. 24.
Pennington, Dale, "Basics of Shock and Vibration Theory," Part I, 9/62, p. 18; Part II, 12/62, p. 22; Part III, 3/63, p. 26.
—Effects of Accelerometer Cross-Axis Sensitivity on Measurement Accuracy," 6/64, p. 34.
Pickering, Thomas C., "Determination of Design Load," 3/62, p. 18.
Pierce, Cameron G., "Vibration Testing—Yesterday, Today and Tomorrow," 4/60, p. 18.
Pollack, Arnold, "Electronic Packages vs. Space Torture," 10/61, p. 20.
—Radiation: The Newest Environment," 9/63, p. 28.
Ponge, Norman A., and Sanders, Clarence F., "The First Decade . . . and the Next: The Question Is, Which Environment?" 3/65, p. 46.
Pulk, Raymond A., "Progress In Nondestructive Testing," 1/61, p. 45.

TEMPERATURE TEST CHAMBER
BARGAIN!
Mechanically Refrigerated BENCH type
*38¢ per cu. in.
Operating Cost: 2¢/Hour
Range: −75 to +175C (tolerance ±¼°C)
Now you can buy *2,600 cu. in. FOR ONLY
$990. Basic Price:



Delivery from Stock

Model FT1.5 with these features:

- Bench-top convenience for full-range low to high temperature tests
- High-reliability, trouble-free design
- No high cost and handling problems of CO_2
- 3 in. access sleeve for lead feedthroughs (MS type plugs)
- Mercury-wetted heat relays for quiet operation
- Adjustable high-limit safety thermostat to protect both chamber and specimens
- High-accuracy, solid state controller, giving ±¼°C tolerance
- Low operating costs — only 2c per hour on 115VAC single phase
- Neat, compact design / Two-tone baked enamel finish

Options: Thermocouple-actuated temperature indicator / CO_2 booster for fast cooling / shelves / programmer / recorder / window

MI
MISSIMERS
Incorporated
3737 San Fernando Rd., Glendale, Calif. 91204
(213) 245-8471 TWX 213-240-2187

Interested? Write 37a on EQ's Service Card.

R

Raskin, Rubin, "Embossed Panels," 10/55, p. 13.

Ravenhall, Richard; Bishop, George W., and Fee., James E., "Engineering Development—By Calculation or Test?" 10/57, p. 11.

Rhodes, James E., "Piezoelectric Transducer Calibration Simulation Method Using Series Voltage Insertion," 3/62, p. 30.

Richardson, A. S., Jr., "Environmental Endurance Testing—Key to Reliability?" 4/58, p. 8.

Ries, P. D., and Latil, Jean Paul, "Solar Simulation—A Postscript," 12/64, p. 26.

Robinson, Leonard L., and Anderson, Merwin T., "Laboratory Simulation of Rocket Engine Noise," 10/58, p. 6.

Roehrig, Jonathan R., "Errors That Afflict Vacuum Gauges" (Part I), 6/65, p. 20.

—"Vacuum Gauge Calibration (Part II), 9/65, p. 30.

Rosenblatt, Jerry P., "The First Decade . . . and the Next: Progress in Pressure—High and Low," 9/65, p. 26.

Rubenz, Sandor D., "Designing a Vibrating Table," 6/65, p. 30.

Ruegg, Maj. Gen. Robert G., "We Must Don Bifocal Glasses—Today," 3/64, p. 34.

S

Sachs, Stuart M., "A Look into Space Chamber Cooling Shrouds," 9/63, p. 26.

Sanders, Clarence F., and Ponge, Norman A., "The First Decade . . . and the Next: The Question Is, Which Environment?", 3/65, p. 46.

Sanders, S. P., "Environmental Engineering," 4/61, p. 28.

Schenck, Hilbert, Jr., "Methods of Simulating the Underwater Environment," 4/56, p. 7.

Schletter, Martin S., and Wheeler, George M., "Earth Environment Chambers," 12/62, p. 12.

Schochet, Daniel N. and Cullari, Charles C., "Introduction to Reliability" (Part I), 12/64, p. 16.

—"Prototype - Production - Performance" (Part II), 3/65, p. 38.

—"Parts Reliability: Some Statistical Considerations" (Part III), 6/65, p. 36.

Scholl, William A., "New Standard Atmosphere Adopted — to 1,000,000 Feet," 1/57, p. 8.

Schwartz, Arthur, and Tustin, Wayne, "Heat Transfer with Electrodynamic Vibration Exciters," 7/58, p. 20.





Seaman, Ellsworth F., "The First Decade . . . and the Next: Today's Fantasies May Sound Mundane in Tomorrow's Environment," 6/65, p. 24.

—"Notes on Simulated Service Testing," 4/58, p. 20.

—"Two International Meetings Review The Environment: Aix-les-Bains, May 19-30—Test Methods, Terminology," 9/64, p. 20.

Seligman, Monroe, "The First Decade . . . and the Next: Expectation and Reality—Great Strides, and a Great Deal More Still to Be Done," 3/65, p. 48.

Shafran, Art, "Workmanship Vibration," 1/61, p. 32.

Shewmaker, R. E., "RF Interference In Extreme Environments," 1/60, p. 14.

Shugart, Peter L., "Sing a Song of QI", 1/61, p. 26.

Sides, Adm. John H., "Exclusive Facilities for the Long Term," 10/60, p. 12.

Simpson, William J., "The Transit Environment," 12/63, p. 28.

Sipfle, Richard E., "Electrohydraulic Shaker Systems: A Versatile Test Tool" (Part I), 9/64, p. 22.

—"Applications and Advantages" (Part II), 12/64, p. 22.

Siple, Dr. Paul A., "Problems of the Coming Decade: Suggestions for Breaking Communications Barriers in Environmental Design," 3/63, p. 34.

Stallard, Robert L., "Vibration Testing for the Neophyte," 10/56, p. 4.

Stathopoulos, George, and Armstrong, John H., "Seismic Shock and Vibration Pickup" Part I), 7/59, p. 6.

—"Practical vs. Ideal" (Part II), 10/59, p. 34.

Stern, Daniel, "V-Groove for an Oil Film Vibration Table," 10/61, p. 16.

Surosky, Alan, "The Nuclear Jungle," 7/56, p. 7.

Sutherland, Robert L., "An Engineering Educator Looks at The Environment," 1/61, p. 28.

Swatek, Frank E., "A-B-Cs of Fungus Testing," 1/61, p. 12.

T

Tauscher, Clark, "Converting Linear Motion to Torsional Vibration," 12/64, p. 36.

Teuber, R. F., and Abrams, S. S., "Thor-Delta Vibration Test," 9/63, p. 36.

Tonkowich, William, "Designing for Qualification," 1/61, p. 16.

Tucker, Spencer A., "Reliability Testing for Managerial Decisions," 10/60, p. 24.

Turner, Frederick T., "Refrigerated Sorption Pumping," 6/64, p. 30.

Tustin, Wayne, "Vibration Education a Necessity as Test Function Expands," 7/61, p. 17.

—and Schwartz, Arthur, "Heat Transfer with Electrodynamic Vibration Exciters," 7/58, p. 20.

V

Vigness, Dr. Irwin, "The First Decade . . . and the Next: A Decade of Change for the Environmental Engineer," 9/65, p. 24.

W

Watt, George M., "A Defense of Vibration Instrumentation," 10/58, p. 30.

Webb, James E., "To Live and Thrive: The Pathway to Space," 6/62, p. 18.

Weiss, Capt. Carl G., and Guenther, Dr. A. H., "Simulation of Nuclear Weapons Effects," 9/63, p. 53.

Wellman, Jack, and Barry, Gary D., "Honeywell 'Bugs' on Environmental Chamber," 9/63, p. 39.

Wheeler, George M., and Schletter, Martin S., "Earth Environment Chambers," 12/62, p. 12.

Wigle, Bruce M., and Hartman, Thomas L., "Oil-Damped Accelerometers at Low Temperatures," 12/64, p. 20.

Wilkinson, Dr. George D., "Environmental Industry Comes of Age," 1/59, p 22.

Wilkes, Alan E., "Altitude Performance Testing of Fuel Pumping Sub-Systems," 1/59, p. 10.

Wood, S. Roy, Garner, Norman R., and Hartvigsen, D. E., "Minimization of Test Programs by Proper Classification of Environmental Factors," 4/61, p. 14.

Y

Yarcho, Wayne B., "Air Force Explores Sand and Dust Testing," 10/56, p. 9.

Young, Sheldon E., and Johnson Eldon A., Isolating Stability Pads," 9/64, p. 36.

Youtcheff, John S., Christopher, George F., and Karmiol, Edwin D., "Prediction of Missile System Survival in Vibration Environment," 1/59, p. 6.

Yujuico, P. J., "Electronic Vibrator Shock Tests," 3/64, p. 41.

Subjects

This is a comprehensive subject reference to EQ, exclusive of new products except where a product received more than routine attention. In each case, the date of the issue (e.g., 3/65 equals March, 1965) and page number are given.

A

ACCELERATION
—Failures due to, 1/61, p. 16.
—Simulation, (See SIMULATOR).
—Test, (See TESTING).

ACCELEROMETER
—Calibration, (See CALIBRATION).
Characteristics, 7/59, p. 6; 10/59, p. 34; 12/64, p. 20.
—Instrumentation, (See INSTRUMENTATION).
—Mounting, 10/59, p. 38; 7/60, p. 32.
—Piezoelectric, 10/56, p. 4; 7/58, p. 4; 10/59, pp. 34, 38; 4/60, p. 14; 7/61, p. 37; 6/64, p. 34.
—Sensitivity, 10/55, p. 12; 7/58, p. 4; 10/59, p. 38; 4/60, p. 14; 6/64, p. 34.
—Temperature effects, (See TEMPERATURE).
—Test, (See TESTING).
—Types, 10/56, p. 4; 7/59, p. 6; 10/59, pp. 34, 38; 4/60, p. 14; 7/61, p. 37; 12/64, p. 20.

ACOUSTIC NOISE, (See NOISE).
AGREE, (See RELIABILITY).
ALBEDO, EARTH, 9/63, p. 16; 3/64, p. 32.
ALTITUDE
—Effects of outgassing and moisture on, 4/60, p. 26.
—Failures due to, 1/61, p. 16.
—Simulation, (See SIMULATOR).
—Test, (See TESTING).

C

CALIBRATION
—Accelerometer: Oil-damped, 12/64, p. 20; Piezoelectric, 3/62, p. 30; 9/63, p.46; 6/65, p. 46.
—Shock instruments, 7/60, p. 32; 3/62, p. 30.
—Vacuum gauge, 9/65, p. 30.

CARBON ARCS
—Solar radiation source, 6/62, p. 34; 6/64, p. 17; 12/64, p. 26.
—Spectral energy distribution, 6/62, p. 37; 12/64, p. 26.

CARBON DIOXIDE
—Liquid, 10/59, p. 16; 1/60, pp. 16, 22; 4/60, p. 40; 4/61, p. 36; 9/62, p. 35.
—Solid, 10/59, p. 16; 1/60, p. 16; 4/60, p. 41.

CENTRIFUGE
—Fluid swivels for, 3/62, p. 24.
—Types, 10/59, p. 12; 1/61, p. 38; 10/61, p. 12; 3/62, p. 24; 3/63, p. 60; 6/63, p. 15.

CHAMBERS, (See SIMULATOR).
CO_2 (See CARBON DIOXIDE).
COLD TREATMENT, (See TEMPERATURE).
CONTROLLER
—Humidity, 10/61, p. 36.
—Temperature: Human body, 9/63, p. 32; Peltier effect, 9/63, p. 12; Programmer, 9/65, p. 36.

CORIOLIS EFFECT, 3/62, p. 24; 6/63, p. 15.
CRYOGENICS
—Cryopumping hydrogen, 9/64, p. 40.
—Design, (See DESIGN).
—Facilities, (See FACILITIES).
—Helium refrigerator, 9/65, p. 55.
—Liquid nitrogen, 10/59, p. 16; 1/60, p. 16.
—Liquid oxygen, 1/57, p. 10.
—Shrouds, 9/63, p. 26.

D

DESIGN
—Criteria for solar radiation, 12/63, p. 16.
—Failures in environments, 1/61, p. 16.
—Industrial, 4/61, p. 36.
—Liquid oxygen test facility, 1/57, p. 10.
—Oil-film vibration table, 10/61, p. 16.
—Techniques for equipment, 4/57, p. 14; 10/57, p. 11; 10/61, p. 20; 3/62, p. 18.
—Test bench, 1/59, p. 16.
—Vacuum pumping system, 1/57, p. 4.
—Vibrating table, 6/65, p. 30.
—Vibration push rod, 10/56, p. 4.

DRY ICE, (See CARBON DIOXIDE, Solid).
DUMMY LOADS, (See EQUIPMENT, ELECTRONIC).

E

EARTH SHINE, 9/63, p. 16; 3/64, p. 32.
ENVIRONMENTAL EQUIPMENT INSTITUTE, 1/59, p. 22; 10/59, p. 10.

ENVIRONMENTAL
—Communication and reporting, 7/60, p. 16.
—Education, 1/61, p. 28; 7/61, p. 17; 6/63, p. 34.
—Equipment, general, 10/59, p. 12; 1/60, p. 12; 4/60, p. 18; 7/60, p. 29; 4/61, p. 28; 3/65, pp. 44-9; 9/65, p. 26.
—Industry, 10/59, p. 10; 3/65, p. 44.
—Management, (See MANAGEMENT).
—Parameters, classification of, 4/61, p. 14; 3/63, p. 34; 6/65, p. 24.
—Planning, 6/65, p. 8.
—Problems, 3/63, p. 36; 6/64, p. 26; 9/65, p. 24.
—Sciences, 10/59, p. 8; 9/62, p. 6; 3/65, pp. 44-9; 6/65, pp. 24, 28.
—Specifications, (See SPECIFICATIONS).
—Test Facilities, (See FACILITIES).

EQUIPMENT, ELECTRONIC
—Dummy loads, 10/58, p. 10; 9/63, p. 41.
—Dynamic vibration design factors, 4/57, p. 14; 3/62, p. 18.
—Thermal design techniques, 10/61, p. 20.
—Transportation effects, 7/58, p. 10.

F

FACILITIES
—Acoustic, 3/63, p. 24; 9/65, p. 21.
—Cryogenics, 1/57, p. 10; 9/65, p. 18.
—Environmental test: Canada, 1/56, p. 10; Commercial labs, 4/60, p. 30.
—Manned space flight, 7/61, p. 20; 3/63, p. 60.
—Space, 7/61, p. 20; 10/61, p. 12; 6/62, p. 31; 9/63, p. 14; 9/65, p. 18.

FIXTURES, (See SHOCK & VIBRATION).
FUNGUS
—Growth, 1/61, p. 12.
—Test, (See TESTING).

H

HEAT TRANSFER
—Analysis, 10/61, p. 20; 6/63, p. 16.
—Shaker to chamber, 7/58, p. 20.
—Surfaces, 10/55, p. 13; 9/63, p. 26.

HUMAN ENGINEERING, 7/59, p. 16.

HARREL/ *PRECISION* **TEMPERATURE INSTRUMENTS**

Panel mount

ADJUSTABLE TEMPERATURE CONTROLLERS 100% SOLID STATE

- TRUE proportional stepless control . . . Does not cycle on-off, but remains steady at value necessary to maintain desired temperature.
- DIRECT reading dial, single-turn or ten-turn potentiometer.
- NO RELAYS or moving parts in power control circuits.
- HIGHEST PRECISION . . . proportional bands as small as 0.015°C.
- THERMAL LOOP compensation. Rate and reset actions neutralize thermal lags in system.

Cabinet style

TEMPERATURE RECORDERS AND INDICATORS



- ACCURATE measurement using platinum, nickel, or nickel-iron resistance thermometers.
- VERSATILE . . . adjustable spans from as low as 0.3°C full scale to any higher value for continuous temperature monitoring. Temperature ranges to 2000°F.
- DIRECT READING dial, deviation indicator and chart recorder.

Write for technical data sheets.

HARREL, *incorporated*

16 Fitch Street, East Norwalk, Conn. 06855

PRECISION TEMPERATURE CONTROLS

Recorders • Programmers • Indicators • Alarms • Sensors Thermoelectric Controllers • Heaters • Enclosures

Interested? Write 39a on EQ's Service Card.

HUMIDITY
—Control, (See CONTROLLER).
—Failures due to, 1/61, p. 16.
—Instrumentation, (See INSTRUMENTATION).
—Simulation, (See SIMULATOR).

I

INSTITUTE OF ENVIRONMENTAL ENGINEERS, 1/59, p. 22; 10/59, p. 8. (See INSTITUTE OF ENVIRONMENTAL SCIENCES).
INSTITUTE OF ENVIRONMENTAL SCIENCES, 10/59, p. 8; 7/61, p. 10; 6/62, pp.14, 16, 17; 12/62, p. 10; 6/63, p. 14; 6/64, pp. 16, 19; 9/64, p. 20; 12/64, p. 12; 3/65, pp. 32, 65; 6/65, pp. 12, 17.
INSTRUMENTATION
—Accelerometer, 10/56, p. 4.
—Analysis of Shock, 4/60, p. 14.
—Calibration, (See CALIBRATION).
—General discussion, 7/60, p. 16.
—Psychrometer, 10/61, p. 37.
—Recording, 7/60, p. 32.
—Shock, 7/59, p. 6; 10/59, p. 38; 4/60, p. 14.
—Vacuum, 4/56, p. 11; 9/64, p. 42; 6/65, p. 20.
—Vibration, 10/58, p. 30; 7/59, p. 6; 10/59, p. 38; 10/61, p. 26.

L

LAUNCH VEHICLE
—Apollo, 10/61, p. 12; 3/63, p. 60; 6/63, p. 16.
—Atlas, 4/59, p. 6; 10/60, p. 16; 6/63, p. 16.
—Saturn, 3/63, p. 24; 6/63, p. 16.
—Thor-Atlas, 9/63, p. 36.
—Vibration modes, (See VIBRATION).
LIQUID NITROGEN, (See CRYOGENICS).
LIQUID OXYGEN, (See CRYOGENICS).

M

MANAGEMENT
—Break-even charts, 10/60, p. 24; 9/63, p. 22.
—Environmental: Criteria responsibility, 1/58, p. 9; Department, 7/56, p. 15.
—Reliability department, 12/63, p. 32.
MEASUREMENT
—Electrical, long cable, 6/63, p. 38.
—Gaussian, 10/61, p. 26.
—Random noise, 10/61, p. 26.
—Spectral density, 10/61, p. 26.
—Transit equipment, 12/63 p. 28.
MISSILE
—Lockheed X-7, 4/59, p. 26.
—Minuteman, 4/61, p. 20; 9/63, p. 22.
—Polaris, 4/59, p. 26; 9/63, p. 38.



—System reliability, 1/59, p. 6; 10/60, p. 12.
—TALOS, test problems, 4/61, p. 28.

N

NOISE
—Acoustic: Effects on components, 1/58, p. 4; Facilities, (See FACILITIES); Simulation, (See SIMULATOR).
—Flight vehicle, 7/61, p. 34; 6/63, p. 16.
—Generator, 4/61, p. 24; 10/61, p. 26; 6/64, p. 36; 9/65, p. 21.
—Measurement, (See MEASUREMENT).
—Random analysis, 6/64, p. 36.
NUCLEAR
—Power generator, 9/63, p. 14.
—Power reactor, 7/56, p. 7.
—Weapons effects, 9/63, p. 53.

P

PICKUP, (See also ACCELEROMETER).
—Seismic theory, 7/59, p. 6; 10/59, p. 34.
PORP, (See RELIABILITY).
POWER SPECTRAL DENSITY
—Nomogram, 7/59, p. 24.
—Theory, 7/61, p. 16; 12/62, p. 22.
PRESSURE, UNDERWATER, 4/56, p. 7; 9/65, p. 15.
PROBABILITY, (See RELIABILITY).
PSYCHROMETER, (See INSTRUMENTATION).
PUMPING
—Fuel, Sub-systems, 1/59, p. 10.
PUMPS, (See VACUUM).
PUSH ROD, (See VIBRATION).

R

RADIATION
—Environment, 9/63, p. 28.
—Heating, 6/63, p. 16.
—Particle, 6/63, p. 16.
—Simulation, (See SIMULATOR).
—Solar: Characteristics, 9/63, p. 16; 12/63, p. 16; Optical systems, 6/64, p. 38; Specifications, (See SPECIFICATIONS).
REACTOR, (See NUCLEAR).
REFRIGERATION
—Cascade systems, 1/56, p. 8; 1/60, p. 16; 3/65, p. 34.
—Helium, (See CRYOGENICS).
—Mechanical, 1/56, p. 8; 10/59, p. 16; 1/60, p. 16; 3/65, p. 34.
—Methods, 10/59, p. 16.
—Systems, cost analysis, 1/60, p. 16.
RELIABILITY
—Education, 6/63, p. 34.
—Environmental conditions, 7/57, p. 8; 4/61, p. 14; 3/65, p. 38.
—Management, (See MANAGEMENT).
—Missile systems, 10/60, pp. 12, 16.
—Probability, 7/57, p. 4; 1/59, p. 6; 6/65, p. 36.
—Problems, space flight, 3/64, p. 34.
—Programs: AGREE, 6/63, p. 24; 6/65, p: 36; Component endurance, 4/58, p. 8; 6/65. p. 36; Comprehensive test, 12/64, p. 16; 3/65, p. 38; 6/65, p. 36; PORP, 9/63, p. 22; Production assessment testing, 9/63, p. 38; Task equipment analysis, 7/59, p. 16; TV production vibration, 1/61, p. 32.
—Small companies, 12/63, p. 32.
RESEARCH, ENTOMOLOGICAL, 9/63, p. 39.
RESEARCH, PHYSIOLOGICAL
—Global climatic, 10/55, p. 9.
—Noise, 3/64, p. 59.
—Space, 6/62, p. 24; 3/63, p. 60.
—Underwater, 4/56, p. 7; 9/65, p. 15.
RESONANCE, (See VIBRATION).
RF INTERFERENCE, 1/60, p. 14.



S

SAFETY
—Lab Personnel, 7/57, p. 18.
—Space Flight, 3/64, p. 34.
SALT SPRAY
—Failures due to, 1/61, p. 16.
SAND & DUST
—Simulation, (See SIMULATOR).
—Specifications, (See SPECIFICATIONS).
—Test Procedures, 10/56, p. 9; 4/57, p. 9.
SATELLITE
—Advent, 7/61, p. 20.
—Agena, 7/61, p. 20.
—Echo, 6/63, p. 16.
—Mariner A, 7/61, p. 20.
—Mercury, 6/63, p. 16.
—Telstar I, 6/62, p. 32.
—Tiros II, 7/61, p. 20.
SHAKER, (See SIMULATOR).
SHOCK
—Failures due to, 1/61, p. 16.
—Fundamental theory, 9/62, p. 18; 3/63, p. 26.
—Instrumentation, (See INSTRUMENTATION).
—Rocket boost, 4/59, p. 26.
—Simulation, (See SIMULATOR).
—Specimen mounting, 10/57, p. 4; 10/58, p. 10; 9/63, p. 41.
—Test, (See TESTING).
SHROUDS, COOLING, (See CRYOGENICS).
SILICON
—Refining techniques, 1/61, p. 36.
SIMULATOR
—Acceleration, 10/69, p. 12; 1/61, p. 38; 10/61, p. 12; 3/62, p. 24; 3/63, p. 60; 6/63, p. 15.
—Acoustic noise, 1/58, p. 4; 10/58, p. 6; 4/60, p. 18; 3/63, p. 24; 3/64, p. 59.
—Altitude, 4/57, p. 4; 1/60, p. 22; 4/60, p. 26; 7/61, p. 20; 3/62, p. 24; 9/62, p. 34; 6/63, p. 16.
—Climatic, 12/62, p 12.
—Combined environments, 4/57, p. 4; 1/60, p. 22; 4/60, pp. 18, 26, 40; 3/62, p. 24; 6/63, p. 16.
—Entomological, 9/63, p. 39.
—Explosive decompression, 10/61, p. 12.
—Humidity, 4/57, p. 4; 4/60, p. 26; 10/61, p. 36; 12/64, p. 34; 3/65, p. 11.
—Lunar/planetary landing, 6/63, p. 16; 9/64, p. 40; 12/64, p. 14.
—Manned, 7/61, p. 20; 3/63, p. 60; 9/63, p. 58; 9/64, p. 18; 12/64, p. 14.
—Nuclear weapons effects, 9/63, p. 53.
—Orbital, 10/60, p. 32; 7/61, p. 20; 6/62, p. 32; 6/65, p. 18; 9/65, pp. 18, 20.
—Rain-Icing, 10/60, p. 33.
—Recompression, 4/56, p. 7.
—Sand and Dust, 4/57, p. 9.
—Shock, 10/57, p. 4; 4/61, p. 28; 10/61, p. 31; 3/64, p. 41; 9/65, p. 38.
—Solar Radiation, 6/62, p. 34; 3/63, p. 51; 6/64, p. 18; 9/64, p. 26; 12/64, p. 26;

Design criteria, 12/63, p. 16; 6/64, p. 38; 9/64, p. 26.
—Sound, anechoic and reverberant, 3/64, p. 40.
—Temperature: Explosive materials, 3/62, p. 40; High, 4/57, p. 4; 1/60 p. 22; 4/60, pp. 26, 40, 41; 4/61, p. 36; 3/62, p. 40; 12/64, p. 34; 3/65, p. 11; Low, 4/57, p. 4; 1/60, pp. 22-3, 28; 4/60, pp. 26, 40, 41; 1/61, p. 37; 4/61, p. 36; 3/62; p. 40; 9/62, p. 35; 12/64, p. 34; 3/65, p. 11.
—Thermal vacuum-solar, (See Orbital).
—Vacuum: Interplanetary Space, 9/62, p. 34; 9/64, p. 42; Thermal, 10/61, p. 12; 9/64, pp. 18, 42.
—Vibration: Electrodynamic, 10/56, p. 4; 4/60, p. 18; 7/61, p. 37; 10/61, p. 30; 3/62, p. 24; 3/64, pp. 38, 41; 9/65, pp. 38, 45; Electrohydraulic, 9/64, p. 22; 12/64, p. 22; Reaction, 4/60, p. 40; 6/65, p. 30; Torsional, 12/64, p. 36.

SPACE
—Exploration Problems, 6/62, pp. 18, 24.
—Facilities, (See FACILITIES).
—Simulation, (See SIMULATOR).
—Vehicle Environment, 6/63, p. 16; 9/63, p. 36.

SPECIFICATIONS
—Environmental: General, 10/57, p. 9; 7/60, p. 16; 6/65, p. 28; International, 9/64, p. 20.
—Sand and dust, 10/56, p. 9; 4/57, p. 9.
—Solar Radiation, 12/63, p. 16.
—Temperature, Altitude, Humidity Chamber, 4/57, p. 4.

STANDARDS
—Atmosphere Tables, 1/57, p. 8.
—Vibration-Shock, International, 9/64, p. 21.

SWITCH, ROTARY, 4/60, p. 40; 1/61, p. 37.

T

TEMPERATURE
—Chillers, (See SIMULATOR, Low Temp).
—Cold treatment, metals, 1/60, p. 28.
—Control of, (See CONTROLLER).
—Cooling of vibration amplifiers, 9/62, p. 36.
—Failures due to, 1/61, p. 16; 10/61, p. 20.
—Low, effects on accelerometer, 12/64, p. 20.
—Simulation, (See SIMULATOR).
—Test, (See TESTING).

TESTING
—Acceleration, 10/59, p. 12.
—Environmental: Piezoelectric accelerometer, 7/58, p. 4; RF interference at climatic extremes, 1/60, p. 14.
—Fuel pumping, 1/59, p. 10.
—Fungus, 1/61, p. 12.
—Nondestructive, 1/61, p. 45.
—Program: Assurance, missile recorder, 7/60, p. 36; 1/61, p. 35; Component Endurance, 4/58, p. 8; 7/60, p. 16; 12/62, p. 32; Fatigue, (See Component Endurance); Production, 4/58, p. 14; 1/61, p. 32; 9/63, p. 38; Simulated service, 4/58, p. 20; 1/61, p. 16; 4/61, pp. 20, 28; Storage environments, 4/59, p. 14.
—Railroad humping, 7/58, p. 10.
—Reports, 7/60, p. 16.
—Rough road, 7/58, p. 10.
—Spacecraft, scaled-down models, 12/64, p.14.
—Techniques: Combined environmental, 3/62, p. 24; Life, 7/57, p. 4; 4/58, p. 8; Shock, 10/57, p. 4; 3/64, p. 41; 9/65, p. 38; Sine-random vibration, 12/62, p. 26.
—Transit equipment, 7/58, p. 10; 12/63, p. 28.
—Vibration: Gaseous oxygen valves, 1/60, p. 23; Multiple shakers, 10/61, p. 30; 3/64, p. 38; Principles, 10/56, p. 4; 12/62, p. 26.

V

VACUUM
—Gauge, 9/64, p. 42; 6/65, p. 20; 9/65, p. 30; Calibration, (See CALIBRATION); Errors, 6/65, p. 20.
—Instrumentation, (See INSTRUMENTATION).
—Pump, 4/56, p. 11; 1/57, p. 4; 3/64, p. 28; 6/64, p. 30.
—Pumping systems, 1/57, p. 4.
—Sorption pump theory, 6/64, p. 30.

VALVES, GASEOUS OXYGEN, 1/60, p. 23.

VIBRATION
—Amplifier, cooling, (See TEMPERATURE).
—Component endurance, 4/58, p. 8; 12/62, p. 32.
—Design, (See DESIGN).
—Dynamic, (See EQUIPMENT, ELECTRONIC).
—Failures due to, 1/61, pp. 16, 32; 12/62, p. 32.
—Fatigue failure analysis, 7/60, p. 12; 1/61, p. 16; 12/62, p. 32.
—Instrumentation, (See INSTRUMENTATION).
—Missile system, 1/59, p. 6.
—Modes, launch vehicle, 9/63, p. 36.
—Pickup, (See INSTRUMENTATION).
—Push rod, 10/56, p. 4.
—Random, 7/59, p. 24; 12/62, p. 26.
—Resonance, 7/60, p. 12; 12/62, p. 32.
—Simulation, (See SIMULATOR.
—Specimen mounting, 10/56, p. 4; 10/58, p. 10; 4/59, p. 8; 10/59, p. 38; 10/61, p. 16; 9/63, p. 41; 9/64, p. 36.
—Tape-Programmed, 1/61, p. 35.
—Test, (See TESTING)
—Theory: Fundamental, 9/62, p. 18; Random-complex systems, 1/58, p. 11; 7/61, p. 16; 10/61, p. 26; 9/62, p. 18; 12/62, pp. 22, 26.

W

WINDOW, TEST CHAMBER, 7/61, p. 6.
WIND TUNNEL, 4/59, p. 26; 10/60, p. 33.

PRESERVE YOUR COPIES OF EQ

for convenience and easy reference . . . in this handsome, sturdy, HARD COVER BINDER



Easy to use. Simply remove a steel rod from the reinforced spine, place it in the center of the magazine and reinsert in slot.

- *Holds 12 copies (3 years' issues)*
- *Durable, vinyl covering*
- *Specially Priced for Our Readers*

For home or library, only $2.89 postpaid. Brown print vinyl-covered binder, with silver lettering, sized for 12 issues of Environmental Quarterly. **Remittance with order,** please. (At this price we must ask for prepayment.) Allow six weeks for delivery.

ENVIRONMENTAL QUARTERLY, Dept. BD
252-46 Leeds Rd., Little Neck, N. Y. 11362

Please send me.....EQ binders, as advertised, at $2.89 each, postpaid.
I enclose $..... in payment.

Name .....
Company (if applicable) .....
Address .....
City & State .....**Zip Code**.....